

SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY INFORMATION

Product name: Component D5

Contact:

Elixirgen Scientific, Inc.
855 N. Wolfe St., Suite 619
Baltimore, MD 21205
Phone: 443-869-5420
www.elixirgenscientific.com

SECTION 2: HAZARD IDENTIFICATION

GHS classification of the substance/mixture:

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 4), H227

Acute toxicity, Oral (Category 2), H300

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS label elements, including precautionary statements:

Pictogram none



Signal word

Danger

Warning

Hazard statement(s)

H227 Combustible liquid.

H300 Fatal if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product.

P271	Use only outdoors in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P403 + P235	Store in a well-ventilated place. Keep cool.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in the classification or are not covered by the GHS:
None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS SUBSTANCE

Hazardous components

component	Classification	Concentration
6-[[2-[[4-(2,4-dichlorophenyl)-5-(5-methyl-1H-imidazol-2-yl)-2-pyrimidinyl]amino]ethyl]amino]-3-pyridinecarbonitrile	Acute Tox. 2; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; H300, H315, H319, H335	<0.15 %
Dimethyl sulfoxide	Flam. Liq. 4; H227	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable extinguishing media:

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Specific hazards arising from the substance or mixture:

Carbon oxides, nitrogen oxide, hydrogen chloride gas, sulphur oxides.

Special protective equipment and precautions for firefighters:

Wear suitable protective clothing to prevent contact with skin and eyes and self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Avoid breathing vapours, mist or gas. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up:

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: HANDLING AND STORAGE**Precautions for safe handling:**

Use in a chemical fume hood, with air supplied by an independent system. Avoid inhalation, contact with eyes, skin and clothing. Avoid the formation of dust and aerosols. Use in a well-ventilated area. Keep away from sources of ignition. Avoid prolonged or repeated exposure.

Conditions for safe storage, including any incompatibilities:

Store in cool, well-ventilated area. Keep away from direct sunlight. Keep container tightly sealed until ready for use.

Specific end uses:

Use in a laboratory fume hood where possible. Refer to employer's COSHH risk assessment.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters:****Components with workplace control parameters**

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Dimethyl sulfoxide	67-68-5	TWA	250.000000 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

Exposure controls**Appropriate engineering controls**

Use in a fume hood where applicable. Ensure all engineering measures described under section

7 of SDS are in place. Ensure laboratory is equipped with a safety shower and eye wash station.

Personal protective equipment:

Respiratory:	In case of insufficient ventilation wear suitable respiratory equipment.
Eyes:	Safety goggles or splash guard safety glasses.
Body:	Lab coat and gloves.
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Form: liquid, clear Color: colorless
Odor:	No data available.
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	Melting point/range: 16 - 19 °C (61 - 66 °F)
Initial boiling point and boiling range:	189 °C (372 °F)
Flash point:	87 °C (189 °F) - closed cup
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower flammability or explosive limits:	Upper explosion limit: 42 %(V) Lower explosion limit: 3.5 %(V)
Vapor pressure:	0.55 hPa (0.41 mmHg) at 20 °C (68 °F)
Vapor density:	2.70 - (Air = 1.0)
Relative density:	1.1 g/mL
Water Solubility(ies):	completely miscible
Partition coefficient: n-octanol/water:	log Pow: -2.03
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
Explosive properties:	No data available.
Oxidizing properties:	No data available.

Other safety information

Relative vapour density 2.70 - (Air = 1.0)

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	No data available.
Chemical stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions:	Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

Conditions to avoid: Heat, moisture, flames, and sparks.
Incompatible materials: Acid chlorides, Phosphorus halides, Strong acids/alkalis,
Strong oxidizing/reducing agents
Hazardous decomposition products: In combustion may emit toxic fumes. No known
decomposition information.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity:

LD50 Oral - Rat - 14,500 mg/kg
LC50 Inhalation - Rat - 4 h - 40250 ppm
LD50 Dermal - Rabbit - > 5,000 mg/kg

Skin corrosion/irritation:

No data available.

Serious eye damage/eye irritation:

No data available.

Respiratory or skin sensitization:

No data available.

Germ cell mutagenicity

Mouse
lymphocyte
Cytogenetic analysis

Mouse
lymphocyte
Mutation in mammalian somatic cells.

Rat

Cytogenetic analysis

Mouse
DNA damage

Carcinogenicity

Carcinogenicity - Rat - Oral

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Skin and Appendages: Other:
Tumors.

Carcinogenicity - Mouse - Oral

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Leukaemia Skin and
Appendages: Other: Tumors.

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Reproductive toxicity - Rat - Intraperitoneal
Effects on Fertility: Abortion.

Reproductive toxicity - Rat - Intraperitoneal
Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

Reproductive toxicity - Rat - Subcutaneous
Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).
Effects on Fertility: Litter size (e.g.; # fetuses per litter; measured before birth).

Reproductive toxicity - Mouse - Oral
Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea). Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system.

Developmental Toxicity - Mouse - Intraperitoneal
Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: PV6210000

Exposure may cause irritation of eyes, mucous membranes, upper respiratory tract and skin.

Effects due to ingestion may include:, Nausea, Fatigue, Headache
To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Eyes - Eye disease - Based on Human Evidence

SECTION 12: ECOLOGICAL INFORMATION

Toxicity:

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 24,600 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	EC50 - Pseudokirchneriella subcapitata (green algae) - 17,000 mg/l - 72 h (OECD Test Guideline 201)

Persistence and degradability

Biodegradability Result: 31 % - According to the results of tests of biodegradability this product is not readily biodegradable.
(OECD Test Guideline 301D)

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

Other adverse effects

May be harmful to the aquatic environment.

Stability in water - 0.12 - 1.2 h at 30 °C

SECTION 13: DISPOSAL INFORMATION

Product

This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

DOT (US)

NA-Number: 1993 Class: NONE Packing group: III

Proper shipping name: Combustible liquid, n.o.s. (Dimethyl sulfoxide) (Dimethyl sulfoxide)

Poison Inhalation Hazard: No

IMDG

Not dangerous goods.

IATA

Not dangerous goods.

SECTION 15: REGULATORY INFORMATION**US Federal Regulations:****SARA 302 Components.**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

US State regulations:**Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

DAPT
Dimethyl sulfoxide

CAS-No.
208255-80-5
67-68-5

New Jersey Right To Know Components

DAPT
Dimethyl sulfoxide

CAS-No.
208255-80-5
67-68-5

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: OTHER INFORMATION**HMIS Rating**

Health hazard:	0
Chronic Health Hazard:	
Flammability:	2
Physical Hazard:	0

NFPA Rating

Health hazard:	0
Fire Hazard:	2
Reactivity Hazard:	0

Other comments:

The information provided herein is based on sources believed to be reliable as of 6/13/2017 and pertains only to the material designated. Elixirgen Scientific, Inc. makes no warranty or representation to its completeness, accuracy, or currency, and assumes no liability resulting from its use. This material is intended for use by persons with pertinent technical skills for its intended use, the product's safe use, and the product's proper disposal. Disposal of hazardous material may be subjected to federal, state or local laws or regulations.

Restriction of use: For research use only.